



PROFILIGHT
transparent security roller shutter

home

PROFILIGHT


transparent security roller shutter

home

PROFILIGHT HOME is the perfect solution to enhance safety, visual, a high energy efficiency of houses and cafe terraces with full transparency.

PROFILIGHT HOME's conception allows a reduced-encumbrance winding system, to run silently, a high wind resistance and an easiest installation.

PROFILIGHT HOME can be completely transparent or partially (with the addition of metal curtain blades).



Specific profiles in order to liaise with traditional locks and axis of roller shutters.

It allows the use of regular motorisations of all brands and types of roller shutters (wired, radio, domotic...)

High resistance polycarbonate transparent modules. (anti-UV, anti-yellowing, lgth=600mm, THK = 3mm).

Shutter with optimised design in order to obtain the most reduced encumbrance.

Winding system of the market and to be used in the regular guide rails and boxes of the roller shutter.

Laquered aluminium profiles with a various choice of RAL.

Specific seals and end caps providing quiet operation.

MARKETING


IN SPARE PARTS TO BE FITTED BY THE CUSTOMER

- Control of deadlines by the customer, better responsiveness
- Reduction of the cost price
- No minimum order
- Reduced customs fees for export

CUSTOMIZED CURTAIN WITH VARIOUS RAL AVAILABLE

- No manufacturing, no stock and no waste for the customer
- Mastered deadline
- Optimized and controlled selling price (internal manufacturing PROFILMAR)

CERTIFICATIONS



PROFILIGHT

transparent security roller shutter

home

DIMENSION DETAILS

Max length	5000 mm
Max high	4500 mm
Max surface	17 m ²
Weight / m ²	8,5 Kg/m ²
Slat pitch	100 mm
Winding diameter (for 2500mm ⁽¹⁾ height)	250 mm
Axle tube	Tube ZF80 x 1,2mm + ring ø100mm ⁽²⁾

⁽¹⁾ See winding tables

⁽²⁾ Or similar system

CERTIFICATIONS



CETIM - N° TEC 0004708 - 1/2



CSTB - N° RA18-0149



CNPP - N° MD 15 01 12



CETIM - N° TEC 0004708 - 2/2



Qualicoat certified lacquering offers durability and aesthetics in the outside environment.

Optional



TECHNICAL CONTRIBUTIONS

- General aesthetics
- Transparency
- Polycarbonate module (lgth = 600mm THK = 3.0mm)
- Anti-UV and anti-yellowing treatment
- Increase in trade exposure
- Silence of use (seals)
- Various possibilities for profiles colours
- Qualicoat lacquering (optional)
- Perfect adaptation in roller shutter boxes
- Use of standard roller shutter tubes and locks
- Reduced winding (250mm roll for a 2500mm shutter's height)
- Reduced weight (8.5 kg / m²)
- Perfect sealing between modules

PROFILIGHT

transparent security roller shutter

home



OUR ACHIEVEMENTS



RESIDENTIAL
(small winding)



SHOPS
(Shops, banks...)



RESTAURANTS
(Terraces, pergolas...)



DOM-TOM
(C5 class Wind)

To see our achievements, visit our website:

www.proflight.fr

PROFILIGHT

transparent security roller shutter

home




NOTRE FABRICATION

For homes and restaurants, **PROFILIGHT HOME** keeps an unobstructed view of the landscape while maintaining optimal security. For stores, **PROFILIGHT HOME** increases the commercial exposure of any storefront and offers 100% clearance at the opening. Its transparent modules, and the possible lacquering of the aluminum profiles, multiply the architectural perspectives in many areas.



French manufacturing, we put all our know-how at your service.





Z.A.C La Valentine
4, rue du commandant Robien
13925 Marseille Cedex 11 - FRANCE
Tél. : 00(33)4 91 87 97 97 – Fax : 00(33)4 91 87 97 98